

Customer _____
 Address _____

Tel _____
 Fax _____
 Mobile _____
 Email _____

Order _____
 Project Name _____
 Project Location _____
 Quote _____
 Date _____

Item	Window ID	Retail Blind Sizes If selected just give quantity required	Size & Shape (Not Needed if Retail Size Selected)						Fabric Colour	Hold up option <small>(Poppers not available on Framefix blinds)</small>	Top or bottom stack	Hold down options <small>(Crossbar not available on Framefix blinds)</small>	Hold down peg colour <small>(bungee only)</small>	Fixing Options			Qty	
			Width	Drop	Shape type <small>See page 3</small>	A <small>(Cloth width)</small>	B <small>(Diagonal)</small>	C <small>(Diagonal)</small>						Face or Top Fix	No. of brackets	Distance between Bracket Centres		
																A		B
1		1			1				Poppers	Top	Poppers	White	Standard Fix	Framefix				
		2			2													
		3																
		4																
		5																
		Custom	Please contact Dometic															
2		1			1			Poppers	Bottom	Poppers	White	Standard Fix	Framefix					
		2			2													
		3																
		4																
		5																
		Custom	Please contact Dometic															
3		1			1			Poppers	Bottom	Poppers	White	Standard Fix	Framefix					
		2			2													
		3																
		4																
		5																
		Custom	Please contact Dometic															

Maximum Sizes		X			
		≤1200 mm [47 1/4"]	≤1400 mm [55 1/8"]	≤1600 mm [63"]	≤1800 mm [70 7/8"]
Y	≤400 mm [15 3/4"]	✓	✓	✓	✓
	≤500 mm [19 11/16"]	✓	✓	✓	
	≤600 mm [23 5/8"]	✓	✓		
	≤700 mm [27 9/16"]	✓			

Retail size	X	Y
1	381 mm [15"]	305 mm [12"]
2	508 mm [20"]	305 mm [12"]
3	635 mm [25"]	305 mm [12"]
4	762 mm [30"]	305 mm [12"]
5	1016 mm [40"]	305 mm [12"]


Internal use only	Customised
-------------------	------------




Top Batten Fixings Positions

Cloth Width

200mm - 500mm
[7 7/8" - 19 11/16"]



501mm - 1600mm
[19 3/4" - 63"]



1601mm - 1800mm
[63 1/16" - 70 7/8"]




For stud positioning on shaped blinds, refer to drawing supplied with order


Hold Down Positions

Cloth Width


200mm - 500mm
[7 7/8" - 19 11/16"]




501mm - 1200mm
[19 3/4" - 47 1/4"]



1201mm - 1600mm
[47 1/4" - 63"]




1601mm - 1800mm
[63 1/16" - 70 7/8"]




Hold Up (strap) Positions

Cloth Width


200mm - 500mm
[7 7/8" - 19 11/16"]




501mm - 1200mm
[19 3/4" - 47 1/4"]



1201mm - 1600mm
[47 1/4" - 63"]




1601mm - 1800mm
[63 1/16" - 70 7/8"]




Crossbar Minigrip positions

Cloth Width


up to 800 mm [31 1/2"]




801mm - 1015mm
[31 9/16" - 39 15/16"]




1016mm - 1215mm
[40" - 47 13/16"]




over 1216mm [47 7/8"]




Framefix bracket Layout configurations



Bungee loop Sizes



Face Fix




Top Stack

Bottom Stack

Top Fix

Bottom Stack




Top Stack

Bottom Stack

HOLD UP OPTIONS




HOLD DOWN OPTIONS




Shapes

Shape 1 - Rectangle


Shape 5 - Custom shape to be approved by Dometic



Shape 2



Shape 3



Shape 4